

albayrak

AGA 2100

COMPACT ROAD SWEEPER



GENERAL INFORMATION

- › DUMP HEIGHT: 1.600 MM
- › REAR SUCTION HOSE: 5MT.
- › VEHICLE CURB WEIGHT: 3.100 KG $\pm$ %3
- › SWEEPING AND CRUISING SPEED:
15 KM/H VE 25 KM/H
- › GARBAGE HOPPER STRUCTURE: STAINLESS STEEL (AISI304)



SWEEPING FEATURES



Sweeping Width:
1.500 MM - 1.900MM



Suction Nozzle Width:
650x400 MM

Sweeping Capacity:
22.500 M2/H

Front Brush:
Ø 400 MM

ENGINE INFORMATION



STAGE III



- › BRAND- MODEL: 3.9 LT 4 CYLINDER WATER COOLED TUMOSAN DIESEL ENGINE
- › POWER: 85 HP / 63 KW @ 2.300 RPM
- › TORQUE: 330 NM @ 1.500 RPM
- › EMISSION: EPA TIER 3 AND EU STAGE 3A
- › ENGINE SPEED: 1.500 RPM

ENGINE INFORMATION



STAGE V



- › BRAND- MODEL: 2.2 LT 4 CYLINDER WATER COOLED PERKINS DIESEL ENGINE
- › POWER: 74 HP / 55 KW @2800 RPM
- › TORQUE: 270 NM @ 1600 RPM
- › EMISSION: EU STAGE V
- › ENGINE SPEED: 1.600 RPM

CAPACITY INFORMATION




HOPPER
GROSS
VOLUME:
2 M3

PAYLOAD
CAPACITY:
1.000 KG

WATER TANK:
300 LT

FUEL TANK:
65 LT

CABIN - CONTROL PANEL



› CAMERA SYSTEM WITH IN CABIN 7”
SCREEN

› FRONT WHEEL MANEUVERABILITY

› AIR CONDITIONER



OPTIONS



› MAGNET

› SNOW BLADE

› SNOW SWEEPING BRUSH



MARKET LEADER [👑] in TÜRKİYE



“export to hundreds of different municipalities, private institutions and different countries” <



➤ **We Work For a Clean World** ◀



follow us in social media



albayrak

KADEME MUNICIPAL VEHICLES

Headquarter:

Yenişehir Mah. Çağlayan Sk.
No:1/35 Albayrak Plaza 34644
Ataşehir Istanbul/Turkey

Phone:

+ 90 212 467 50 50

WhatsApp:

+90 554 535 63 27

Web:

www.kadememunicipal.com

E-mail:

sales@kademe.com.tr

